



**INITIAL DIAGNOSIS      INITIAL SCREEN STAGING      TREATMENTS      FOLLOW-UP**



NOTE: Clinical Trials are available for superficial Bladder Ca

**RELAPSED PATIENTS**

**TREATMENTS**



\*Initial IVP can be done anytime from 1-3 months to assess for postoperative stricture from ureteroileal anastomosis

**FOLLOW-UP:**

**Follow-Up A**  
 Post-Op Follow-up:  
 1Mo: H&P, IVP\*  
 12 Mos: H&P, IVP, Urine Cytology from diversion, CT abdomen & Pelvis, CXR, Liver Function Tests, Alk Phos  
 24 Mos then annually x 3 yrs: H&P, IVP, Urine Cytology from diversion, CT Abdomen & Pelvis, CXR, Liver Function Tests, Alk Phos

**Follow-Up B**  
 Post-Op Follow-up:  
 1Mo: H&P, IVP\*  
 6 Mos: H&P, IVP, Urine Cytology from diversion, CXR, Liver Function Tests, Alk Phos  
 12 Mos: H&P, IVP, Urine Cytology from diversion, CXR, Liver Function Tests, Alk Phos  
 18 Mos: H&P, IVP, CXR, Liver Function Tests, Alk Phos  
 24 Mos then annually x 2 yrs: H&P, IVP, Urine Cytology from diversion, CT Abdomen & Pelvis, CXR, Liver Function Tests, Alk Phos  
 60 Mos: H&P, IVP, CXR Liver Function Tests, Alk Phos

**Follow-Up C**  
 Post-Op FOLLOW-up:  
 1Mo: H&P, IVP\*  
 3 Mos: H&P, CXR, Liver Function Tests, Alk Phos  
 6 Mos: H&P, CT Abdomen & Pelvis, CXR, Liver Function Tests, Alk Phos  
 9 Mos: H&P, CXR, Liver Function Tests, Alk Phos  
 12 Mos: H&P, IVP, Urine Cytology from diversion, CT abdomen & Pelvis, CXR, Liver Function Tests, Alk Phos  
 18 Mos: H&P, CXR, Liver Function Tests, Alk Phos  
 24 Mos: H&P, IVP, Urine Cytology from diversion, CT Abdomen & Pelvis, CXR, Liver Function Tests, Alk Phos  
 36, 48 Mos: H&P, IVP, Urine Cytology from diversion, CXR, Liver Function Tests, Alk Phos  
 60 Mos: H&P, IVP, CXR Liver Function Tests, Alk Phos

**NOTE: Urine Barbotage Cytology performed at follow-up.**